

TIMELINE:
THE AGGREGATE FILL PILE – 2013-2019

Draft: 8-28-19

2013

- DPW issues a request for proposal (RFP) from private contractors to take over management of the aggregate fill pile with the intention of reducing the size of the pile.
- Under the terms of the RPF, it is explicitly stated that the operator is prohibited from accepting any hazardous materials at the site.
- May: Julian Development's proposal is accepted and the terms of the RPF effectively serve as the legal contract for the job.
- July: Julian Development begins operation and management of the site.

2014/2015

- In January, 2014 the DPW is contacted by a resident concerned about finding pieces of glass and siding shingle along the sidewalk area on Holland Hill Road, adjacent to Gould Manor Park. (The DPW oversaw a 2013/2014 sidewalk improvement project on that site.) DPW responds directly with the resident subsequently assures the resident and the First Selectman's office that the matter is satisfactorily resolved.
- Later in 2015 the Parks & Recreation (P&R) Department notifies DPW that pieces of glass being found on several soccer fields. DPW removes the material and replaces it with new topsoil and grass. The First Selectman's Office was not notified of this matter during this period.

2016

- January/February – The Office of the First Selection receives complaints about the size of the pile, which appears to be increasing. First Selectman Mike Tetreau asks DPW to respond to these complaints. In addition, First Selectman Mike Tetreau instructs DPW to set up a means of tracking the size of the pile.
- March – First Selectman Mike Tetreau asks DPW to provide weekly updates about the size of the pile and the progress being made to reduce its size; and begins a series of regular meetings with area residents, along with sending biweekly e-mail updates.
- March – Town sets up webpage to provide residents with information and updates about the pile: <https://www.fairfieldct.org/pwyard>
- Summer – complaints about truck traffic increase, and the size of the pile is not visibly smaller.
- September – First Selectman Mike Tetreau advises Julian Development that the contract will not be renewed.
- September – As part of appropriate due diligence at the expiration of such a contract, First Selectman Mike Tetreau instructs DPW to retain a Licensed Environmental Professional (LEP) to test the aggregate fill pile for possible contaminants.

- October – The Town learns that the performance bond posted by Julian Development (as a condition of the bid) was fraudulent. First Selectman Mike Tetreau orders a review of all other town bonds with similar provisions to ensure no other problems, and instructs that the Town's bidding and verification procedures be revised to avoid such issues going forward.
- November 29 – The Licensed Environmental Professional, who is at the DPW site, witnesses a Julian Development truck enter the yard and proceed to the back section of the pile and dump material. The LEP samples the material that was unloaded from the truck.
- Early December – Test results show that the material from the load tested contained levels of PCBs and lead. First Selectman Mike Tetreau immediately shuts down the site, orders Julian Development off the site. The State Department of Energy and Environmental Protection (DEEP) is notified.

2017

- The Town and Osprey Environmental Engineering, a Licensed Environmental Professional, develop a remediation plan – in consultation with DEEP -- to remove all hazardous materials. Meetings with residents continue and the Town hires a landscape architect to design a berm around the site.
- Spring: First Selectman Mike Tetreau notifies the Fairfield Police Department to initiate a criminal investigation out of concern the transporting and disposal of hazardous materials could be a violation of state and federal laws.
- Spring: First Selectman Mike Tetreau instructs the Town to sue Julian Development to recover costs and damages associated with the mismanagement of the site and the remediation. Julian Development subsequently countersues the town claiming defamation.

2018

- Containment berm is completed and tested. Test results indicate it contains no levels of contaminants which exceed state and federal regulations for such sites.
- The Fairfield Town Attorney recommends that the Town and Julian Development enter into arbitration to more expeditiously resolve the dispute.

2019

- The Town seeks to renew its litigation after Julian Development fails to follow the arbitration guidelines. Superior Court Judge Barbara Bellis orders the Town and Julian Development to continue the arbitration, and orders Julian Development to follow the guidelines.
- July: The State's Attorney's search warrant for Julian Development's property is made public.
- July: First Selectman Mike Tetreau places DPW Superintendent Scott Bartlett on Administrative Leave.
- August:
 - The State's Attorney's office (which has been working with the Fairfield Police) issues arrest warrants for Jason Julian of Julian Development, Scott Bartlett and Joe Michelangelo, Director of the Department of Public Works.
 - Mike Tetreau places Joe Michelangelo on administrative leave.

- Fairfield Police receive a complaint about material in the soil alongside the sidewalk on the Holland Hill Road side of Gould Manor Park. The State DEEP is notified. (Fill for the 2013-14 sidewalk improvement project for that area came from the aggregate fill pile managed by Julian Development.)
- DEEP finds debris at this site that appear to be scraps of building shingles and orders testing of the site.
- Upon learning this, First Selectman Mike Tetreau asks for a listing of all town properties (parks, ballfields, school grounds, etc.) where fill from the fill pile was used during the period the pile was managed by Julian Development (May 2013 – Dec. 2014).
- The Town hires Tighe & Bond, a Licensed Environmental Professional (LEP) to work with the Fairfield Department of Health in determining whether there are any town sites with contaminated soils from the pile, and to develop a remediation plan if necessary.
- First Selectman Mike Tetreau orders an expedited testing of 20 town sites identified as having received fill from the pile between May 2013 and December 2014. Those sites that are on school property or used by the Parks and Recreation Department are closed pending the outcome of testing and remediation (if needed).
- First Selectman Mike Tetreau assigns the Fairfield Health Department with responsibility for all required site remediation.
- Initial testing results of the Gould Manor Park sidewalk area from DEEP indicate levels of arsenic and lead in exceedance of standards for residential areas, as well as “non-friable” asbestos in the shingle pieces.
- First Selectman Mike Tetreau orders a remediation action plan for the Gould Manor Park sidewalk area and for the area in question to be cordoned off pending the completion of the remediation.
- Tighe & Bond begins testing all other sites identified by the Town.